EAST 08/513,914

Due 1/73/64

				DUE	ו אין
L Number	Hits		DB	Time stamp	
-	11	ep-1041850-\$.did. OR ep-831669-\$.did. OR	USPAT;	2003/07/10	15:40
		ep-841763-\$.did. OR WO-9845966-\$.did. OR WO-9852288-\$.did. OR WO-9953630-\$.did.	US-PGPUB;		
		WO-9852288-\$.did. OR WO-9955830-\$.did.	EPO; JPO; DERWENT;		
			IBM TDB		
_	25	(("5301359") or ("6151309") or ("6324185")	USPAT	2003/06/03	18:27
	-	or ("6347224") or ("5666356") or			
		("6289005") or ("6304562") or ("6327254")			
	<u> </u>	or ("5987326") or ("6021309") or			
		("5257283") or ("5293640") or ("5561839")			
		or ("5603085") or ("5734967") or ("5745480") or ("5768260") or ("5805585")			
		or ("5862485") or ("5923650") or			
		("5995805") or ("6070084") or ("6157668")			
		or ("6181738") or ("6226283")).PN.			
-	2444	(wireless OR radio\$1) AND ((ad ADJ1 hoc)	USPAT;	2003/06/15	10:08
		OR multi\$1hop)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	979	(wireless OR radio\$1) AND ((ad ADJ1 hoc)	IBM_TDB USPAT;	2003/07/10	09-20
1		OR multi\$1hop) AND (learn\$3 OR discover\$3)	US-PGPUB;	2003/07/10	JJ.20
		The state of the s	EPO; JPO;		
			DERWENT;		
1			IBM_TDB		
-	349	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/06/15	11:17
}		OR multi\$1hop)) AND (learn\$3 OR discover\$3)	US-PGPUB;		
}		(discovers)	EPO; JPO; DERWENT;		
			IBM TDB		
_	16	("5051984"   "5056085"   "5065399"	USPAT	2003/06/15	10:29
		"5173689"   "5235599"   "5412654"			
		"5572528"   "5719861"   "5740366"			
		"5748611"   "5822309"   "5987011"			
		"6049524"   "6130881"   "6304556"   "6400752").PN.			
_	2324	(wireless OR radio\$1) AND ((learn\$3 OR	USPAT;	2003/06/15	11.50
	2324	discover\$3) SAME (configur\$5 OR	US-PGPUB;	2003/00/13	11.50
		auto\$1configur\$5))	EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	800	·	USPAT;	2003/06/15	13:02
		discover\$3) SAME (configur\$5 OR auto\$1configur\$5)) AND ((configur\$5 OR	US-PGPUB;		
		auto\$1configur\$5) SAME (IP OR (rout\$3 NOT	EPO; JPO; DERWENT;		
		routine) OR forward\$3) )	IBM TDB		
-	837	((learn\$3 OR discover\$3) SAME (configur\$5	USPĀT;	2003/06/15	12:39
		OR auto\$1configur\$5)) AND ((configur\$5 OR	US-PGPUB;		
		auto\$1configur\$5) SAME (radio\$1 OR	EPO; JPO;		
		wireless OR RF))	DERWENT;		
	21764	(wireless OR radio\$1) AND (learn\$3 OR	IBM_TDB USPAT;	2003/06/15	13.04
	21/04	discover\$3) AND (initial\$3 OR (start ADJ1	US-PGPUB;	2003/00/13	15:04
		up))	EPO; JPO;		
		<u> </u>	DERWENT;		
}			IBM_TDB		
-	2335	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2003/06/15	13:05
		discover\$3) SAME (initial\$3 OR (start ADJ1	US-PGPUB;		
		up)))	EPO; JPO; DERWENT;		
			IBM TDB		
-	29044	(wireless OR radio\$1 OR RF) SAME ((rout\$3	USPAT;	2003/06/16	10:17
		NOT routine) OR forward\$3)	US-PGPUB;		
		·	EPO; JPO;		
			DERWENT;		
	0055	(which are on wat 44 on not see	IBM_TDB	0000/06/55	
-	2851	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/06/15	13:10
		NOT routine) OR forward\$3) SAME (configur\$5 OR auto\$1configur\$5)	US-PGPUB; EPO; JPO;		
		(configures on autoriconfigures)	DERWENT;		
			IBM TDB		
				<del> </del>	

	550	1 (	Luonin	10000706715 10 06
-	550	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/06/15 13:36
		NOT routine) OR forward\$3) SAME (configur\$5 OR auto\$1configur\$5)) AND	US-PGPUB; EPO; JPO;	1
		(learn\$3 OR discover\$3)	DERWENT;	
i		(10011143 010 010000143)	IBM TDB	İ
1_	130	((wireless OR radio\$1 OR RF) SAME ((rout\$3	USPAT;	2003/06/15 13:37
		NOT routine) OR forward\$3)) AND	US-PGPUB;	2003, 00, 13 13.3.
		((initial\$3 OR (start ADJ1 up)) WITH	EPO; JPO;	
		(learn\$3 OR discover\$3))	DERWENT;	
			IBM TDB	
-	16	("5051984"   "5056085"   "5065399"	USPĀT	2003/06/15 13:58
		"5173689"   "5235599"   "5412654"		
		"5572528"   "5719861"   "5740366"		
		"5748611"   "5822309"   "5987011"		
		"6049524"   "6130881"   "6304556"		1
+	1	"6400752").PN.		/ /
-	16	,	USPAT	2003/06/15 13:59
		"5051987"   "5241533"   "5297137"		
1		"5412654"   "5487065"   "5497368"   "5526414"   "5583996"   "5646936"		
		3525414		i
ľ		"6122258").PN.		
_	12	("4825206"   "5093824"   "5117422"	USPAT	2003/06/15 14:03
	**	"5412654"   "5442633"   "5444707"	331711	2005/00/15 14.05
		"5533025"   "5570084"   "5579373"		
		"5592468"   "5654959"   "5812531").PN.		1
_	20	5987011.URPN.	USPAT	2003/06/15 14:06
-	10	("4718002"   "5093824"   "5243592"	USPAT	2003/06/15 14:10
		"5574860"   "5850592"   "5881246"		
		"5913921"   "5949760"   "6130881"		
		"6134442").PN.		
-	0	6456599.URPN.	USPAT	2003/06/15 14:14
-	16	, , , ,	USPAT	2003/06/15 14:15
		"5212806"   "5321542"   "5325362"		
		"5339316"   "5371738"   "5384826"		
		"5394436"   "5400338"   "5412654"	]	
		"5453977"   "5479400"   "5490139"     "5570084").PN.		
_	11	5812531.URPN.	USPAT	2003/06/15 14:17
_	28	("4308613"   "4612637"   "4639914"	USPAT	2003/06/15 14:25
		"4688259"   "4730310"   "4979168"	001111	2003,00,13 14.23
1	1	"5038398"   "5040175"   "5046066"		
		"5117422"   "5124985"   "5164942"		
		"5197127"   "5204855"   "5204856"		
		"5216591"   "5220564"   "5226045"		
		"5231634"   "5239673"   "5245609"		
		"5291474"   "5291475"   "5291515"		
		"5506848"   "5652751"   "5719868"	į	
		"5742593").PN.		0000/06/17 11 77
	9	5949760.URPN.	USPAT	2003/06/15 14:26
-	21	("5159592"   "5325362"   "5519706"	USPAT	2003/06/15 14:28
		"5564070"   "5598536"   "5708655"     "5717688"   "5790548"   "5793763"		
		3717666		
		"6108330"   "6144671"   "6151318"		
		"6157613"   "6160804"   "6167513"		
		"6170012"   "6195705"   "6215779").PN.		
-	1	6496505.URPN.	USPAT	2003/06/15 14:30
-	14	("5159592"   "5325362"   "5519706"	USPAT	2003/06/15 14:31
		"5564070"   "5598536"   "5708655"		
1		"5717688"   "5745699"   "5790548"		
		"5812531"   "5812819"   "5835725"		
		"6147986"   "6246670").PN.		
-	1	6434134.URPN.	USPAT	2003/06/15 14:33
-	10	("5159592"   "5412654"   "5493692"	USPAT	2003/06/15 14:34
		"5557748"   "5655148"   "5696903"		
[		"5790800"   "5809329"   "5812531"		
1_	31	"5812819").PN. 5918016.URPN.	Henra	2002/06/15 14 25
	31	JOING OVEN.	USPAT	2003/06/15 14:35

-	1302	(wireless OR radio\$1 OR RF) SAME ((rout\$3 NOT routine) OR forward\$3) AND ((dynamic\$4 OR self OR auto) WITH configur\$5)	USPAT; US-PGPUB; EPO; JPO;	2003/06/16 10:54
			DERWENT;	
-	483	(wireless OR radio\$1 OR RF) SAME ((rout\$3 NOT routine) OR forward\$3) AND ((dynamic\$4 OR self OR auto) WITH configur\$5) AND (learn\$3 OR discover\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/10 09:21
-	2	5719868.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/16 17:14
_	30	("4308613"   "4612637"   "4639914"   "4688259"   "4730310"   "4868811"   "4937822"   "4979168"   "5038398"   "5040175"   "5046066"   "5124985"   "5134615"   "5164942"   "5197127"   "5204855"   "5204856"   "5216591"   "5220564"   "5226045"   "5231634"   "5239673"   "5245609"   "5291474"   "5291475"   "5291515"   "5359595"	IBM_TDB USPAT	2003/06/16 17:17
		"5448621"   "5570352"   "5581548").PN.		
-	11 2	5719868.URPN. 5987326.pn.	USPAT; USPAT; US-PGPUB;	2003/06/16 17:18 2003/06/16 17:37
Ì			EPO; JPO; DERWENT;	
_	9602	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM) AND ((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/10 10:06
-	470	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM) AND ((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR MLPS)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/10 09:25
	2984	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR (base ADJ1 station\$1) OR RBS OR BTS) AND ((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS OR (virtual ADJ1 path\$1)) AND (Internet\$1 OR	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 10:15
	1170	packet\$1 OR IP\$2) (wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR (base ADJ1 station\$1) OR RBS OR BTS) AND (((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS OR (virtual ADJ1 path\$1)) SAME (Internet\$1 OR packet\$1 OR IP\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 10:16
-	234	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR (base ADJ1 station\$1) OR RBS OR BTS) AND (((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS OR (virtual ADJ1 path\$1)) SAME (Internet\$1 OR packet\$1 OR IP\$2)) AND ((hand ADJ1 off\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 10:44
	769	OR hand\$loff\$1 OR (hand ADJ1 over\$1) OR hand\$lover\$1 OR (macro ADJ1 diversit\$3) OR macro\$ldiversit\$3) (wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR (base ADJ1 station\$1) OR RBS OR BTS) AND (((label ADJ1 switch\$3 ADJ1 path\$2) OR LSP OR tunnel\$1 OR MLPS OR (virtual ADJ1 path\$1)) SAME (Internet\$1 OR packet\$1 OR IP\$2)) AND (rout\$3 NOT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/10 10:46
		routine)		

	T 300	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Lianam	10000105/100 10 50
-	723	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR (base ADJ1 station\$1) OR RBS OR	USPAT; US-PGPUB;	2003/07/10 10:50
		BTS) AND (((label ADJ1 switch\$3 ADJ1	EPO; JPO;	
		path\$2) OR LSP OR tunnel\$1 OR MLPS OR	DERWENT;	
		(virtual ADJ1 path\$1)) SAME (Internet\$1 OR	IBM TDB	
		packet\$1 OR IP\$2)) AND ((rout\$3 NOT	_	
		routine) SAME (Internet\$1 OR packet\$1 OR		
	, ,,,	[IP\$2))		
-	778	(wireless OR radio\$1 OR RF OR cellular\$1 OR GSM OR GPRS OR CDPD OR PLMN OR mobile\$1	USPAT; US-PGPUB;	2003/07/10 12:51
		OR (base ADJ1 station\$1) OR RBS OR BTS)	EPO; JPO;	
		AND ((label ADJ1 switch\$3) OR LSP OR MLPS)	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
-	18	,	USPĀT	2003/07/10 13:46
		"5797102"   "5799255"   "5880829"		
		"5887254"   "5903559"   "5996021"     "6021263"   "6084855"   "6128298"		
		"6131117"   "6205149"   "6226523"		
		"6246670"   "6330239"   "6385195").PN.		
_	0	6587457.URPN.	USPAT	2003/07/10 13:50
-	12	fauconnier.in. AND handover	USPAT;	2003/07/10 15:57
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	22	(soft ADJ1 hand\$lover\$1) AND ((virtual	USPAT;	2003/07/10 16:20
		ADJ1 path\$1) OR MPLS OR (switch\$3 ADJ1	US-PGPUB;	
_		path\$1))	EPO; JPO;	
	_		DERWENT;	
_	1 27	((anchor\$3 WITH ((base ADJ1 station\$1) OR	IBM_TDB   USPAT;	2004/01/23 08:49
	•	BTS OR RBS)) SAME ((hand\$1off\$1) OR	US-PGPUB;	2004/01/23 00.49
		hand\$lover)) AND (Internet OR IP OR	EPO; JPO;	
	ĺ	packet\$1)	DERWENT;	
	22202	h	IBM_TDB	0004404400 40 00
_	23393	hand\$1off\$3 OR (hand\$1 ADJ1 off\$3) OR hand\$3over\$1 OR (hand ADJ1 over\$1)	USPAT; US-PGPUB;	2004/01/23 13:07
		HandySovely1 OK (Hand ADD1 OVEL91)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2778	soft NEAR2 ( hand\$1off\$3 OR (hand\$1 ADJ1	USPAT;	2004/01/23 08:50
		off\$3) OR hand\$3over\$1 OR (hand ADJ1 over\$1) )	US-PGPUB; EPO; JPO;	
		Overal, ,	DERWENT;	
			IBM TDB	
-	271	(hand\$1off\$3 OR (hand\$1 ADJ1 off\$3) OR	USPĀT;	2004/01/23 08:51
		hand\$3over\$1 OR (hand ADJ1 over\$1) ) SAME	US-PGPUB;	
		anchor\$5	EPO; JPO;	
			DERWENT; IBM TDB	
-	161	(hand\$1off\$3 OR (hand\$1 ADJ1 off\$3) OR	USPAT;	2004/01/23 08:52
		hand\$3over\$1 OR (hand ADJ1 over\$1) ) SAME	US-PGPUB;	
		anchor\$5 AND (455/\$6.ccls. OR 370/\$6.ccls.	EPO; JPO;	
		OR 379/\$6.ccls.)	DERWENT; IBM TDB	
-	/ 7	("5590133"   "5896369"   "5949775"	USPAT	2004/01/23 09:11
		"5956331"   "6101387"   "6119012"		
	/ /	"6128503").PN.		
<u>-</u>	/ <sub>2</sub>		USPAT	2004/01/23 09:11
-	- 5	("4670899"   "5666356"   "5796722"   "5991628"   "6002933").PN.	USPAT	2004/01/23 09:14
	- 0		USPAT	2004/01/23 09:15
-	6081	MPLS\$2 OR (label ADJ1 switch\$3) OR	USPAT;	2004/01/23 13:00
		(virtual ADJ1 (tunnel\$3 OR path\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	<b>/</b> 239	(MPLS\$2 OR (label ADJ1 switch\$3) OR	IBM_TDB USPAT;	2004/01/23 09:42
		(virtual ADJ1 (tunnel\$3 OR path\$1))) AND	US-PGPUB;	2003/01/23 03:42
		(hand\$loff\$3 OR (hand\$1 ADJ1 off\$3) OR	EPO; JPO;	
		hand\$3over\$1 OR (hand ADJ1 over\$1) )	DERWENT;	
			IBM_TDB	

			T	1000./0./00
-	112	dantu.in. OR choksi.in. OR mienik.in. OR holur.in.	USPAT; US-PGPUB; EPO; JPO;	2004/01/23 09:43
			DERWENT;	
_	/2	dantu.in. OR choksi.in. OR mienik.in. OR	IBM_TDB USPAT;	2004/01/23 09:43
	1	holur.in.) AND ((hand\$1off\$3 OR (hand\$1	US-PGPUB;	
		ADJ1 off\$3) OR hand\$3over\$1 OR (hand ADJ1 over\$1) OR (MPLS\$2 OR (label ADJ1	EPO; JPO; DERWENT;	1
		switch\$3) OR (virtual ADJ1 (tunnel\$3 OR	IBM_TDB	
_	/ 18	path\$1))))   ("5175758"   "5442633"   "5787341"	USPAT	2004/01/23 10:00
	, 10	"5797102"   "5799255"   "5880829"	OSTAI	2004/01/25 10.00
		"5887254"   "5903559"   "5996021"     "6021263"   "6084855"   "6128298"		
		"6131117"   "6205149"   "6226523"		
	/ 0	"6246670"   "6330239"   "6385195").PN. 6587457.URPN.	110000	2004/01/02 10:00
-	99626		USPAT USPAT;	2004/01/23 10:02 2004/01/23 10:17
		OR wireless\$1) NEAR2 router\$1) Or (base	US-PGPUB;	·
		ADJ1 station\$1)	EPO; JPO; DERWENT;	
	477	COOK OR CREE OR CREE OR CHARGO OR CALLED	IBM_TDB	0004/01/00 10 50
-	/ 4//	(GSM OR GPRS OR GPP OR UMTS OR ((mobile\$1 OR wireless\$1) NEAR2 router\$1) Or (base	USPAT; US-PGPUB;	2004/01/23 10:50
		ADJ1 station\$1)) AND (MPLS\$2 OR (label	EPO; JPO;	
	_	ADJ1 switch\$3) OR (virtual ADJ1 (tunnel\$3 OR path\$1)))	DERWENT; IBM TDB	
-	/2		USPAT;	2004/01/23 10:34
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	/ 2	2002077097.did.	IBM_TDB USPAT;	2004/01/23 10:35
			US-PGPUB;	2001/01/23 10:33
			EPO; JPO; DERWENT;	
	_		IBM_TDB	
-	2	5602841.pn.	USPAT; US-PGPUB;	2004/01/23 11:02
			EPO; JPO;	
			DERWENT; IBM TDB	
-	/ 59		USPAT	2004/01/23 11:00
-	70	(connection SAME connectionless SAME (route OR routing)) AND IBM	USPAT; US-PGPUB;	2004/01/23 11:03
		(Loud of Loueling), And Ibn	EPO; JPO;	
			DERWENT;	
	I		IBM TDB	1

-	/ 74	[ ("4794594"   "4922486"   "5018137"	USPAT	2004/01/23 11:07
	•	"5115433"   "5138615"   "5150360"     "5233604"   "5265092"   "5280480"		
		"5233604"   "5265092"   "5280480"     "5329527"   "5357508"   "5394402"		
		"5420862"   "5444702"   "5490139"		
		"5491690"   "5495426"   "5526358"		
		"5537468"   "5548579"   "5561790"		
		"5570359"   "5577033"   "5581552"		
		"5590118"   "5600638"   "5600644"		
		"5606669"   "5612957"   "5636216"		
		"5636217"   "5649108"   "5687167"		
		"5699347"   "5732072"   "5740171"		
		"5764636"   "5787071"   "5790522"		
		"5790808"   "5805593"   "5815492"     "5825772"   "5838660"   "5838663"		İ
		"5854899"   "5878232"   "5898691"		
		"5940372"   "5991817"   "6011776"		
		"6011804"   "6023733"   "6032194"		
		"6038212"   "6049533"   "6058117"		
		"6065062"   "6072773"   "6075769"		
	1	"6097718"   "6111877"   "6118791"		
		"6128656"   "6151324"   "6178160"	-	
		"6212183"   "6243667"   "6317433"     "6320845"   "6256309"   "6260071"		
	1	"6266705"   "6256309"   "6260071"     "6266705"   "6327251").PN.		
-	1436	mobility ADJ1 management\$1	USPAT;	2004/01/23 11:56
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
		[ , , , , , , , , , , , , , , , , ,	IBM_TDB	
1-	<b>✓</b> 35	(mobility ADJ1 management\$1) AND (MPLS\$2	USPAT;	2004/01/23 12:14
		OR (label ADJ1 switch\$3) OR (virtual ADJ1	US-PGPUB;	į l
	1	(tunnel\$3 OR path\$1)))	EPO; JPO; DERWENT;	
			IBM TDB	
-	1401	marchand.in.	USPAT;	2004/01/23 12:14
1			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1_	/ 7	marchand in AND (MDIGGO OD (3-b-1 2074	IBM_TDB	2004/01/02 10 15
1		marchand.in. AND (MPLS\$2 OR (label ADJ1 switch\$3) OR (virtual ADJ1 (tunnel\$3 OR	USPAT; US-PGPUB;	2004/01/23 12:16
1		path\$1)))	EPO; JPO;	
		F==	DERWENT;	
1			IBM TDB	
-	/ 46	((label ADJ2 router\$1) OR LER OR LSR) AND	USPĀT;	2004/01/23 12:21
	`	((hand\$loff\$3 OR (hand\$1 ADJ1 off\$3) OR	US-PGPUB;	
	[	hand\$3over\$1 OR (hand ADJ1 over\$1) ) OR	EPO; JPO;	1
		(mobility ADJ1 management\$1))	DERWENT;	
_	0	   WO-0045560-\$.did.	IBM_TDB USPAT;	2004/01/23 12:23
		#0 0010000 Q.QIQ.	US-PGPUB;	2004/01/23 12:23
			EPO; JPO;	
			DERWENT;	
1	]		IBM_TDB	
-	2950	((radio OR wireless) NEAR2 frame\$1)	USPĀT;	2004/01/23 12:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	✓ <sub>40</sub>	(((radio OR wireless) NEAR2 frame\$1)) AND	IBM_TDB USPAT;	2004/01/23 12:30
	' '	(MPLS\$2 OR (label ADJ1 switch\$3) OR	US-PGPUB;	2004/01/25 12.50
		(virtual ADJ1 (tunnel\$3 OR path\$1)))	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	63	(wireless OR radio) SAME (MPLS OR (label	USPAT;	2004/01/23 13:01
		ADJ1 switch\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	l		T TOW T DD	<u>.                                    </u>

-	712	(hand\$1off\$3 OR (hand\$1 ADJ1 off\$3) OR	USPAT;	2004/01/23 13:08
		hand\$3over\$1 OR (hand ADJ1 over\$1) ) SAME (label\$3 OR identifier\$1)	US-PGPUB; EPO; JPO;	
		(label\$3 OR identifier\$1)	DERWENT;	
			IBM TDB	
_	/207	(hand\$1off\$3 OR (hand\$1 ADJ1 off\$3) OR	USPAT;	2004/01/23 13:08
1		hand\$3over\$1 OR (hand ADJ1 over\$1) ) SAME	US-PGPUB;	2001,01,20 13.00
		label\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	195		USPĀT;	2004/01/23 13:16
		hand\$3over\$1 OR (hand ADJ1 over\$1) ) SAME	US-PGPUB;	
		label\$3) NOT ((MPLS\$2 OR (label ADJ1	EPO; JPO;	
		switch\$3) OR (virtual ADJ1 (tunnel\$3 OR	DERWENT;	
		path\$1))) AND (hand\$1off\$3 OR (hand\$1 ADJ1	IBM_TDB	
		off\$3) OR hand\$3over\$1 OR (hand ADJ1		
	335238	over\$1) ))	UCDAG.	2004/01/02 32 22
1	335236	, ,,===,=	USPAT;	2004/01/23 13:20
		call\$1) OR (resourc\$3 NEAR2 reservat\$5) OR RSVP OR (bandwidth NEAR2 allocat\$5) OR	US-PGPUB;	
		route OR routing	EPO; JPO; DERWENT;	
		loute on loading	IBM TDB	
-	5625	(( ((set\$3 ADJ1 up) OR set\$3up\$) ADJ1	USPAT;	2004/01/23 13:19
	0020	call\$1) OR (resourc\$3 NEAR2 reservat\$5) OR	US-PGPUB;	2004/01/25 15.15
		RSVP OR (bandwidth NEAR2 allocat\$5) OR	EPO; JPO;	
		route OR routing) AND ((hand\$loff\$3 OR	DERWENT;	
		(hand\$1 ADJ1 off\$3) OR hand\$3over\$1 OR	IBM TDB	
		(hand ADJ1 over\$1) ) OR (mobility ADJ1	_	
		management\$1))		
-	1608	(( ((set\$3 ADJ1 up) OR set\$3up\$) ADJ1	USPAT;	2004/01/23 13:19
		call\$1) OR (resourc\$3 NEAR2 reservat\$5) OR	US-PGPUB;	
		RSVP OR (bandwidth NEAR2 allocat\$5) OR	EPO; JPO;	
		route OR routing) SAME ((hand\$loff\$3 OR	DERWENT;	
		(hand\$1 ADJ1 off\$3) OR hand\$3over\$1 OR	IBM_TDB	
		(hand ADJ1 over\$1) ) OR (mobility ADJ1 management\$1))		
_	Z7	((( ((set\$3 ADJ1 up) OR set\$3up\$) ADJ1	USPAT;	2004/01/23 13:21
	2,	call\$1) OR (resourc\$3 NEAR2 reservat\$5) OR	US-PGPUB;	2004/01/23 13:21
]		RSVP OR (bandwidth NEAR2 allocat\$5) OR	EPO; JPO;	
]		route OR routing) SAME (MPLS\$2 OR (label	DERWENT;	
		ADJ1 switch\$3) OR (virtual ADJ1 (tunnel\$3	IBM TDB	
		OR path\$1)))) AND (((hand\$1off\$3 OR	<b>-</b> '	
		(hand\$1 ADJ1 off\$3) OR hand\$3over\$1 OR		
		(hand ADJ1 over\$1) ) OR (mobility ADJ1		
		management\$1)) SAME (MPLS\$2 OR (label ADJ1		
		switch\$3) OR (virtual ADJ1 (tunnel\$3 OR		
		path\$1))))		